



CARGO TRAILERS

ENTRY LEVEL



GET MORE | GO FURTHER

BRING YOUR WORLD WITH YOU!

Passport is your ticket to carefree and reliable cargo hauling that's easy on your wallet. It's a perfect fit for recreational and light duty commercial applications. Although classified as an "entry level" trailer, the Passport is loaded with quality features found on much more expensive trailers — features like tubular steel main rails, radial tires, 3/4" interior flooring, and Starbright Stoneguard. The standard V-Nose is not only stylish, but improves handling and MPG. Whether you're moving a child off to college or protecting those garage sale bargains . . . count on Passport to deliver your valuables safe and secure to your final destination.

6' WIDE MODELS



5' WIDE MODELS



Single Rear Door — 4' & 5' wide models



Rear Ramp Door available as optional equipment

Models shown may feature optional equipment available at additional charge.


7' WIDE MODELS



STANDARD FEATURES — 4', 5', 6' & 7' WIDE MODELS

- V-Nose Profile
- 32" Side Entry Door with Bar Lock (6' & 7' wide models only)
- 12V Dome Light (1)
- Starbright Stoneguard
- Ball Coupler Hitch (2" or 2⁵/₁₆")
- Top Wind Jack with Sand Pad (excluding 4' x 6' model)
- Breakaway Kit (Tandem models only)
- Safety Chains
- Entire Chassis Undercoated
- Spring Suspension Axles (4" Drop)
- 14" Radial Tires (ST205/75R14, Load Range C)
- White Spoke Wheels
- 3/4" Plywood Decking Undercoated
- .024 Prefinished White Aluminum Exterior Skin
- Smooth Aluminum Jeep Fenders (Single Axle) or Smooth Aluminum Flare Fenders (Tandem Axles)
- 12V Incandescent Tail/Marker/Clearance Lights
- 24" OC Floor Crossmembers
- 24" OC Vertical Posts
- 24" OC Roof Trusses
- 2-Year Limited Warranty

8.5' WIDE MODELS



PEACE OF MIND WITH HAULMARK!

Haulmark is dedicated to keeping you safe mile after mile. When you're on the road, your trailer is covered by a company that cares about your safety. That's why Haulmark includes a complimentary Customer Care Club membership with the purchase of every new Haulmark trailer. It entitles you to a FREE 1-year road side assistance program. It offers Tire Repair and Replacement Coverage, 24 Hour Emergency Towing Service, Trip Interruption Benefits, and a whole lot more! It's complimentary peace of mind, and we're the only full-line cargo trailer brand that offers anything like it.

Models shown may feature optional equipment available at additional charge.

8.5' WIDE MODELS



STANDARD FEATURES — 8.5' WIDE MODELS

- V-Nose Profile
- Rear Ramp Door with Spring Assist
- 16" Plywood Ramp Extension
- Beavertail (16' model = 32"; 20' & 24' models = 48")
- 32" Side Entry Door with Bar Lock
- 12V Dome Light (2)
- 24" Starbright Stoneguard
- Ball Coupler Hitch (2⁵/₁₆"
- Top Wind Jack with Sand Pad
- Breakaway Kit
- Safety Chains
- Entire Chassis Undercoated
- Spring Suspension Axles (4" Drop)
- 15" Radial Tires with White Spoke Wheels
- 3/4" Plywood Decking Undercoated
- .030 Prefinished White Aluminum Exterior Skin
- Aluminum Flare Fenders
- Sidewall Vents
- 12V Incandescent Tail/Marker/Clearance Lights
- 24" OC Floor Crossmembers
- 16" OC Vertical Posts
- 24" OC Roof Bows
- 2-Year Limited Warranty

MODEL		PPT4X6DS2	PPT5X8DS2	PPT5X10DS2	PPT6X10DS2	PPT6X12DS2	PPT6X12DT2	PPT7X12DT2	PPT7X14DT2	PPT7X16DT2
Body:	Length	7'5"	9'5"	11'5"	11'7"	13'7"	13'7"	13'7"	15'7"	17'7"
	Width	4'	5'	5'	6'	6'	6'	7'	7'	7'
Overall:	Length	10'1"	11'6"	13'6"	14'	16'	16'	15'8"	17'8"	19'8"
	Width	68"	80"	80"	92"	92"	92"	102"	102"	102"
	Height	78"	86"	86"	92"	92"	93"	93"	93"	93"
Interior:	Length	7'1"	9'1"	11'1"	11'3"	13'3"	13'3"	13'3"	15'3"	17'3"
	Width	44"	56"	56"	68"	68"	68"	80"	80"	80"
	Height	60"	66"	66"	72"	72"	72"	72"	72"	72"
	Platform Height	18"	18"	18"	18"	18"	19"	19"	19"	19"
Axle:	Quantity	Single	Single	Single	Single	Single	Tandem	Tandem	Tandem	Tandem
	Capacity	3500 lbs.	3500 lbs.	3500 lbs.	3500 lbs.	3500 lbs.	3500 lbs.	3500 lbs.	3500 lbs.	3500 lbs.
	Type	4" Drop	4" Drop	4" Drop	4" Drop	4" Drop	4" Drop	4" Drop	4" Drop	4" Drop
	Suspension	Spring	Spring	Spring	Spring	Spring	Spring	Spring	Spring	Spring
	Brakes	N/A	N/A	N/A	N/A	N/A	Electric Drum	Electric Drum	Electric Drum	Electric Drum
Tire:	Size	ST205/75R14	ST205/75R14	ST205/75R14	ST205/75R14	ST205/75R14	ST205/75R14	ST205/75R14	ST205/75R14	ST205/75R14
	Load Range	C	C	C	C	C	C	C	C	C
	Type	Radial	Radial	Radial	Radial	Radial	Radial	Radial	Radial	Radial
	Wheel	White Spoke	White Spoke	White Spoke	White Spoke	White Spoke	White Spoke	White Spoke	White Spoke	White Spoke
	Hitch:	Ball Size	2"	2"	2"	2"	2"	2 5/16"	2 5/16"	2 5/16"
	To Top of Ball	16"	16"	16"	16"	16"	17"	17"	17"	17"
Weight:	Hitch	10% - 15%	10% - 15%	10% - 15%	10% - 15%	10% - 15%	10% - 15%	10% - 15%	10% - 15%	10% - 15%
	Curb (lbs.)	660	935	1050	1195	1325	1740	1975	2125	2275
	GVWR (lbs.)	2980	2980	2980	2980	2980	7000	7000	7000	7000
	Avg. Payload (lbs.)	2320	2045	1930	1785	1655	5260	5025	4875	4725
Rear Door:	Style	Single Door	Single Door	Single Door	Double Doors	Double Doors	Double Doors	Double Doors	Double Doors	Double Doors
	Width	37.5"	51"	51"	63"	63"	63"	75"	75"	75"
	Height	54"	61"	61"	67"	67"	67"	67"	67"	67"
	Lock Style	Bar Lock	Bar Lock	Bar Lock	Cam Lock	Cam Lock	Cam Lock	Cam Lock	Cam Lock	Cam Lock
Side Door:	Width	N/A	Optional	Optional	32"	32"	32"	32"	32"	32"
	Height	N/A	Optional	Optional	66"	66"	66"	66"	66"	66"
	Lock Style	N/A	Optional	Optional	Bar Lock	Bar Lock	Bar Lock	Bar Lock	Bar Lock	Bar Lock
	Tube Main Rails	2"x 3"	2"x 3"	2"x 3"	2"x 3"	2"x 3"	2"x 4"	2"x 4"	2"x 4"	2"x 4"
	12V End Connector	4-way	4-way	4-way	4-way	4-way	7-way	7-way	7-way	7-way
	Stoneguard	12"	12"	12"	12"	12"	12"	16"	16"	16"
	Interior Sidewall Liner	3.6 mm Lauan	3.6 mm Lauan	3.6 mm Lauan	3.6 mm Lauan	3.6 mm Lauan	3/8" Plywood	3/8" Plywood	3/8" Plywood	3/8" Plywood
	Floor	3/4" Plywood	3/4" Plywood	3/4" Plywood	3/4" Plywood	3/4" Plywood	3/4" Plywood	3/4" Plywood	3/4" Plywood	3/4" Plywood

SPECIFICATIONS 4', 5', 6' & 7' WIDE MODELS

STANDARD COLOR



Polar White


OPTIONAL COLORS



Black



Victory Red



Silver Frost

Specifications, features & available options subject to change without notice.

MODEL		PPT85X16WT2	PPT85X20WT2	PPT85X24WT2	PPT85X16WT3	PPT85X20WT3	PPT85X24WT3
Body:	Length	17'10"	21'10"	25'10"	17'10"	21'10"	25'10"
	Width	8.5'	8.5'	8.5'	8.5'	8.5'	8.5'
Overall:	Length	19'6"	23'6"	27'6"	19'6"	23'6"	27'6"
	Width	102"	102"	102"	102"	102"	102"
	Height	101"	101"	101"	102"	102"	102"
Interior:	Length	17'6"	21'6"	25'6"	17'6"	21'6"	25'6"
	Width	96"	96"	96"	96"	96"	96"
	Height	78"	78"	78"	78"	78"	78"
	Platform Height	19"	19"	19"	20"	20"	20"
Axle:	Quantity	Tandem	Tandem	Tandem	Tandem	Tandem	Tandem
	Type	4" Drop	4" Drop	4" Drop	4" Drop	4" Drop	4" Drop
	Capacity	3500 lbs.	3500 lbs.	3500 lbs.	5200 lbs.	5200 lbs.	5200 lbs.
	Suspension	Spring	Spring	Spring	Spring	Spring	Spring
	Brakes	Electric Drum	Electric Drum	Electric Drum	Electric Drum	Electric Drum	Electric Drum
Tire:	Size	ST205/75R15	ST205/75R15	ST205/75R15	ST225/75R15	ST225/75R15	ST225/75R15
	Load Range	C	C	C	D	D	D
	Type	Radial	Radial	Radial	Radial	Radial	Radial
	Wheel	White Spoke	White Spoke	White Spoke	White Spoke	White Spoke	White Spoke
Hitch:	Ball Size	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"
	To Top of Ball	20"	20"	20"	21"	21"	21"
Weight:	Hitch	10% - 15%	10% - 15%	10% - 15%	10% - 15%	10% - 15%	10% - 15%
	Curb (lbs.)	2800	3100	3500	3000	3300	3700
	GVWR (lbs.)	7000	7000	7000	10,000	10,000	10,000
	Avg. Payload (lbs.)	4200	3900	3500	7000	6700	6300
Rear Door:	Style	Ramp Door	Ramp Door	Ramp Door	Ramp Door	Ramp Door	Ramp Door
	Width	91"	91"	91"	91"	91"	91"
	Height	75"	75"	75"	75"	75"	75"
	Lock Style	Bar Lock	Bar Lock	Bar Lock	Bar Lock	Bar Lock	Bar Lock
Side Door:	Width	32"	32"	32"	32"	32"	32"
	Height	72"	72"	72"	72"	72"	72"
	Lock Style	Bar Lock	Bar Lock	Bar Lock	Bar Lock	Bar Lock	Bar Lock
	Tube Main Rails	2"x 6"	2"x 6"	2"x 6"	2"x 6"	2"x 6"	2"x 6"
	12V End Connector	7-way	7-way	7-way	7-way	7-way	7-way
	Stoneguard	24"	24"	24"	24"	24"	24"
	Interior Sidewall Liner	3/8" Plywood	3/8" Plywood	3/8" Plywood	3/8" Plywood	3/8" Plywood	3/8" Plywood
	Floor	3/4" Plywood	3/4" Plywood	3/4" Plywood	3/4" Plywood	3/4" Plywood	3/4" Plywood

Specifications, features & available options subject to change without notice.

SPECIFICATIONS

8.5' WIDE MODELS

OPTIONAL EQUIPMENT

- Dolly Wheel
- Extra Height
- Sidewall Vents
- Stabilizer Jacks
- 12V Wall Switch
- Rear Ramp Door
- Spare Tire & Wheel
- LED Oval Tail Lights
- 5000 lb. Floor D-Rings
- 500 lb. Wall Rope Rings
- Extend A-Frame Tongue
- Interior Spare Tire Mount
- Side Entry Door (5' wide models)
- 14" x 14" Non-Powered Roof Vent
- Electric Brakes (trailers without brakes)
- 3/8" Sidewall Liner (single axle models)
- Flush Lock (add to existing side entry door)



• 12V Dome Light

Sealed Double Bulb / DOT Approved Clearance Lights

Drip Rail Over Rear Door

Sealed Oval / DOT Approved Tail Lights

3.6 mm Luan Liner (3/8" plywood on tandem axle models)

License Plate Light

3/4" Plywood Decking Undercoated

Axles:
Spring Suspension (4" Drop)



- Radial Tires
- White Spoke Wheels
- Smooth Aluminum Fenders
- Sealed Double Bulb/DOT Approved Fender Lights



Extruded Aluminum Top Trim

Drip Rail Over Side Entry Door

.024 White Aluminum Exterior
 Optional Silver Frost shown.
 .030 on 8.5' wide models

32" Side Entry Door with Bar Lock
 (6' wide models & up)

Smooth Aluminum Fenders

White Spoke Wheels

Radial Tires



- Safety Chains
- Starbright Stoneguard
- Front Jack with Sand Pad
- Ball Coupler Hitch (2 or 2^{7/16"})



- V-Nose Standard
- .030 Black Exterior (optional)
- Stylish Extruded Aluminum Top Trim

Specifications, features & available options subject to change without notice.

THINK HAULMARK FOR ALL YOUR HAULING NEEDS



CARGO



SNOWMOBILE & ATV



LANDSCAPERS



RACE & AUTO



MOTORCOACHES



GET MORE | GO FURTHER

To locate your nearest authorized Haulmark dealer
 visit www.haulmark.com or call **800-348-7530**

Proud Member of



Proud Member of

